

NAME

apvlv — PDF/DJVU/EPUB/HTML/TXT/FB2/CZW viewer with vim-like behaviour

SYNOPSIS

apvlv [options] [file]

DESCRIPTION

apvlv is a PDF/DJVU/EPUB/HTML/TXT/FB2/CZW viewer, which behaves like vim.

OPTIONS

-c file

Load configuration from *file* instead of the default *~/.apvlvrc*

-h

Show help message and exit

-v

Show version and exit

COMMANDS

The following command keys can be used inside apvlv. Some of them may be prefixed by a number (as in pressing "13G"), this is indicated by a *count* in their description. Unless noted otherwise, the default value for the number is 1.

- o** Display file chooser to open a PDF/DJVU/EPUB/HTML/TXT file
- O** Select a directory to display
- t** Display file chooser to open a PDF/DJVU/EPUB/HTML/TXT file in a new tab
- T** Select a directory to display in a new tab
- R** Reload the current file
- r** Rotate the document clockwise by 90 degrees
- G** Show page number *count*
- gt** Show next tab
- gT** Show previous tab
- PageDown, C-f**
Go forward *count* pages
- PageUp, C-b**
Go backward *count* pages
- C-d** Go forward *count* half pages
- C-u** Go backward *count* half pages
- H** Scroll to page head
- M** Scroll to page middle
- L** Scroll to page bottom
- s** skip some pages *count*
- C-p, Up, k**
Scroll up *count* units

C-n, Down, j
 Scroll down *count* units
 Backspace, Left, h
 Scroll left *count* units
 Space, Right, l
 Scroll right *count* units
 / *string* Search forwards for *string*
 ? *string* Search backwards for *string*
 f Toggle between fullscreen and window mode
 zi Zoom in
 zo Zoom out
 zw Zoom to fit window width
 zh Zoom to fit window height
 m *char* Mark the current position to *char*, so that it can be recalled by pressing *char*
 ' *char* Return to the mark position *char*
 " Return to the last position
 q Close the current window
 ZZ quit the viewer with ZZ, like Vim
 c toggle directory display

SETTINGS

These can be set in `~/.apv(1)rc` with "set *setting* [= *value*]".

fullscreen = yes/no
 Enable/Disable fullscreen
 width = *int*
 Default window width
 height = *int*
 Default window height
 fix_width = *int*
 fixed width
 fix_height = *int*
 fixed height
 defaultdir = *path*
 Default directory for the open dialogue
 zoom = *mode*
 Set default zoom level
 normal The application sets the default zoom value
 fitwidth Fit pages to window width
 fitheight Fit pages to window height

float 1.0 for 100%, 2.0 for 200%, etc.

continuous = yes/no
 Show PDF/DJVU/EPUB/HTML/TXT pages continuously or not.

autoscrollpage = yes/no
 Enable/Disable scrolling the pages when hitting a page tail/head

noinfo = yes/no
 Disable/Enable the usage of ~/.apvlvinfo

max_info = *int*
 Max file information will be saved, default is 100

scrollbar = yes/no
 Set show scrollbar or not

wrapscan = yes/no
 Set wrapscan to search text or not

doubleclick = *action*
 Set default double click action

 none Selection nothing

 word Selection a word under the cursor to clipboard

 line Selection a line under the cursor to clipboard

 page Selection a page under the cursor to clipboard

guioptions = mTsS
 Weather display menu, toolbar, status and status tool.

.pdf:engine = MuPDF/Poppler/QtPdf
 Which engine to render .pdf file

.epub:engine = MuPDF/Web
 Which engine to render .epub file

.fb2:engine = MuPDF/Web
 Which engine to render .fb2 file

ocr:lang = eng+chi_sim
 Pretrained languages which tesseract load to process

notes:dir = *dir*
 Directory to save ebook notes

autoreload = *int*
 If auto reload document after some seconds

inverted = yes/no
 If use inverted mode for pdf page

background = *color*
 Set background color

PROMPT

Like the COMMANDS, but prefixed with a colon:

:h[elp] Display the help document

:q[uit] Close the current window

:o[pen] *file*
 Open *file*

:doc *file* Load *file* into the current window

:TOtext [*file*]
 Translate *file* (or the current page) to a text file

:pr[int] Print the current document

:tabnew Create a new tab

:sp Horizontally split the current window

:vsp Vertically split the current window

:fp, :forwardpage [*int*]
 Go forward *int* pages (1 by default)

:bp, :prewardpage [*int*]
 Go backward *int* pages (1 by default)

:g, :goto *int*
 Go to page *int*

:z[oom] *mode*
 Set zoom to *mode* (see "set zoom" in SETTINGS)

:*int* Go to page *int*

:directory
 toggle directory display

AUTHORS

apvlv was written by Alf <naihe2010@126.com>.

This manual page was originally written by Stefan Ritter <xenon@thehappy.de> for the Debian project (but may be used by others), and was rewritten more beautifully by Daniel Friesel <foobar@derf.homelinux.org>.